

www.fogelusa.com



Bottom Mount Reach In Freezers



- Stainless Steel Doors
- Heavy duty hinge with self closing mechanism
- Exterior galvanized pre-painted steel
- Stainless steel floor, Aluminum interior
- Recessed handle
- Heavy duty epoxy shelves
- Digital Display
- Robust body with 2-1/2", thick walls, injected with CFC-free polyurethane
- UL Classified to ANSI/NSF 7
- Forced air evaporator for quick temperature "Pull Down" made of copper and aluminum
- Heavy duty condensing unit with R-404a refrigerant, located on bottom for easy access maintenance
- 10' power cord

Model No.	Description	Size DxLxH	Voltage	Amps	HP	Cubic Feet	Est. Ship Wt
Freezers							
CR-23-AC-AF-SA-US	1 Door/4 Shelves	29.5 x 30" x 78"	115	8.2	1/2	23	325#
CR-49-AC-AF-SA-US	2 Door/8 Shelves	29.5" x 60" x 78"	115	10.9	1	49	555#

Fogel USA

831 Easy Cayuga St • Philadelphia, PA 19124 • 1-800-344-8222 • 1-215-464-6800
Fax: 1-215-969-4890 • Email: sales@fogelusa.com • www.fogelusa.com

Reach In Freezers–Bottom Mount



Technical Data

Model #	CR-23-AC-AF-SA-US	CR-49-AC-AF-SA-US
Outside Dimensions		
Depth	29.5"	29.5"
Length	30"	60"
Height	78"	78"
Door Size	30" x 51.75"	30" x 51.75"
Door Type	1 swing	2 swing
Inside Dimensions		
Depth	25.25"	25.25"
Length	25.25"	55.25"
Height	61.25"	61.25"
Shelf Size	24.562"x23.125"	27.125"x27.688"
# of Shelves	4	8
Capacity: Cubic Foot	23	49
Specifications		
Operating Temperature	-0°F to 10°F	-0°F to 10°F
Refrigerant	R-404A	R-404A
Compressor Size HP	1/2	1
Defrost	3 @ 30 min.	3 @ 30 min.
Voltage	115	115
Amperage	8.2	10.9
Cord and Plug	yes	yes
Shipping Dimensions		
Depth	31.875"	31.875"
Length	32.375"	67.375"
Height	81.75"	81.75"
Gross Weight lbs.	325	555
Cubic feet	48	92

- Cases are designed to operate at 75° Fahrenheit and 55% relative humidity.
- Specification subject to change without notice.






Reach In Freezers—Bottom Mount

Technical Data - Side View - Plan View

CR-23-AC-AF-SA-US and CR-49-AC-AF-SA-US

Side View - Plan View



• Specification subject to change without notice.

FOGEL GROUP USA, LLC

831 E Cayuga Street, Philadelphia, PA 19124 USA • (215) 464-6800 • 1-800-344-8222
Fax (215) 969-4890 • E-Mail: sales@fogelusa.com • www.fogelusa.com

